




Latitude:33.59666, Longitude:-91.38322

Route:65 Section:19 Log:9.46

Arnold Road ID:, Arnold Log mile:

District 02, 41 - Desha County

Owner: 1 - State Highway Agency



33.59666, -91.38322



Asset #A6811 (Routine)

US65-19 LM 9.46 SB over Black Pond Slough

Location: 1.0 Mi S US 278-McGehee

Team Lead: Sharon Hooks, Inspection Date: 01/08/2019

IDENTIFICATION	
(1) State Names	5 - Arkansas
(8) Structure Number	A6811
(5) Inventory Route	1
(2) Highway Agency District	02 - District 02
(3) County Code	41 - Desha County
(4) Place Code	0
(6) Features Intersected	Black Pond Slough
(7) Facility Carried	US65-19 LM 9.46 SB
(9) Location	1.0 Mi S US 278-McGehee
(11) Mile Point	9.46 mi
(12) Base Highway Network	Yes
(13) LRS Inventory Rte & Subrte	0000065190
(16) Latitude	33.59666
(17) Longitude	-91.38322
(98) Border Bridge State Code	
(99) Border Bridge Structure No.	
STRUCTURE TYPE AND MATERIAL	
(43) Main Structure Type	32
Material	3 - Steel
Type	2 - Stringer/Multi-beam or girder
(44) Approach Structure Type	00
Material	0 - Other
Type	0 - Other
(45) No. of Spans in Main Unit	3
(46) No. of Approach Spans	0
(107) Deck Structure Type	1 - Concrete Cast-in-Place
(108) Wearing Surface/Protective System	
Type of Wearing Surface	1 - Monolithic Concrete (concurrently pl
Type of Membrane	0 - None
Type of Deck Protection	1 - Epoxy Coated Reinforcing
AGE AND SERVICE	
(27) Year Built	2003
(106) Year Reconstructed	0
(42) Type of Service	15
On	1 - Highway
Under	5 - Waterway
(28) Lane	
On	2
Under	0
(29) Average Daily Traffic	7800
(30) Year of ADT	2014
(109) Truck ADT	1 %
(19) Bypass, Detour Length	11 mi
GEOMETRIC DATA	
(48) Length of Maximum Span	61 ft
(49) Structure Length	165 ft
(50) Curb or Sidewalk Width	
Left	0 ft
Right	0 ft
(51) Bridge Roadway Width Curb to Curb	38.1 ft
(52) Deck Width Out to Out	40.9 ft
(32) Approach Roadway Width (W/Shoulders)	36.1 ft
(33) Bridge Median	0 - No median
(34) Skew	35 Deg
(35) Structure Flared	0 - No flare
(10) Inventory Route Min Vert Clear	99.99 ft
(47) Inventory Route Total Horiz Clear	39 ft
(53) Min Vert Clear Over Bridge Rdwy	99.9 ft
(54) Min Vert Underclear	0 ft
Ref:	
(55) Min Lat Underclear RT	0 ft
Ref:	
(56) Min Lat Underclear LT	0 ft
NAVIGATION DATA	
(38) Navigation Control	0 - No navigation control on w
(111) Pier Protection	5 - None present but re-evalua
(39) Navigation Vertical Clearance	0 ft
(116) Vert-Lift Bridge Nav Min Vert Clear	0 ft
(40) Navigation Horizontal Clearance	0 ft

CLASSIFICATION	
(112) NBIS Bridge Length	Y
(104) Highway System	1
(26) Functional Class	2 - Rural Principal Arterial -
(100) Defense Highway	2 - The inventory route is on
(101) Parallel Structure	L - The left structure of para
(102) Direction of Traffic	1 - way traffic
(103) Temporary Structure	
(105) Federal Lands Highways	0 - N/A
(110) Designated National Network	1 - The inventory route is par
(20) Toll	3 - On free road. The structu
(21) Maintain	1 - State Highway Agency
(22) Owner	1 - State Highway Agency
(37) Historical Significance	5 - Bridge is not eligible for
CONDITION	
(58) Deck	7
(59) Superstructure	8
(60) Substructure	8
(61) Channel & Channel Protection	7
(62) Culverts	N
LOAD RATING AND POSTING	
(31) Design Load	5 - MS 18 / HS 20
(63) Operating Rating Method	1
(64) Operating Rating	
Type	1 - Load Factor(LF)
Rating	60
(65) Inventory Rating Method	1 - Load Factor(LF)
(66) Inventory Rating	
Type	
Rating	36
(70) Bridge Posting	5 - Equal to or above legal loads
(41) Structure Open/Posted/Closed	A - Open, no restriction
APPRAISAL	
(67) Structural Evaluation	8
(68) Deck Geometry	7
(69) Clearances, Vertical/Horizontal	N
(71) Waterway Adequacy	8
(72) Approach Roadway Alignment	8
(36A) Bridge Railings	1 - Inspected feature meets current
(36B) Transitions	1 - Inspected feature meets current
(36C) Approach Guardrail	1 - Inspected feature meets current
(36D) Approach Guardrail Ends	1 - Inspected feature meets current
(113) Scour Critical Bridges	5 - Bridge foundations determined t
PROPOSED IMPROVEMENTS	
(75) Type of Work	
(76) Length of Structure Improvement	0 ft
(94) Bridge Improvement Cost	\$ 0
(95) Roadway Improvement Cost	\$ 0
(96) Total Project Cost	\$ 0
(97) Year of Improvement Cost Estimate	
(114) Future ADT	4155
(115) Year of Future ADT	2028

INSPECTIONS *			
(90) Inspection Date	01/21/2021		
(91) Frequency	24		
(92) Critical Feature Inspection	Done	Freq. (Mon)	Date
A: Fracture Critical Detail	No		
B: Underwater Inspection	No		
C: Other Special Inspection			
<p>* The inspection date and frequency information in this box contains the current NBI date and frequency information. Please refer to the report header for the date this inspection was conducted.</p>			



**General Observation (False)**

Beginning of structure toward SH 4, McGehee, North End.

Bridge 0000000000A6811 entered 2003-06-19 13:57 by userid rlw. REPLACES SB TRAFFIC OF STR. #A2068 UNDER JOB #020239.

04-24-2012, Updated log mile to match Tech Services data. RHB.

800x600

Normal  
0

false  
false  
false

EN-US  
X-NONE  
X-NONE

MicrosoftInternetExplorer4

<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="true"  
DefSemiHidden="true" DefQFormat="false" DefPriority="99"  
LatentStyleCount="267">  
<w:LsdException Locked="false" Priority="0" SemiHidden="false"  
UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  
<w:LsdException Locked="false" Priority="9" SemiHidden="false"  
UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>



<w:LsdException Locked="false" Priority="10" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Title"/>

<w:LsdException Locked="false" Priority="11" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>

<w:LsdException Locked="false" Priority="22" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Strong"/>

<w:LsdException Locked="false" Priority="20" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>

<w:LsdException Locked="false" Priority="59" SemiHidden="false" UnhideWhenUsed="false" Name="Table Grid"/>

<w:LsdException Locked="false" Priority="1" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>

<w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading"/>

<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List"/>

<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid"/>

<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1"/>

<w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2"/>

<w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1"/>

<w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2"/>

<w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1"/>

<w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2"/>

<w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3"/>

<w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List"/>

<w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading"/>

<w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List"/>

<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid"/>

<w:LsdException Locked="false" Priority="60" SemiHidden="false"

UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  
<w:LsdException Locked="false" Priority="61" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light List Accent 1"/>  
<w:LsdException Locked="false" Priority="62" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  
<w:LsdException Locked="false" Priority="63" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  
<w:LsdException Locked="false" Priority="64" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  
<w:LsdException Locked="false" Priority="65" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  
  
<w:LsdException Locked="false" Priority="34" SemiHidden="false"  
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>  
<w:LsdException Locked="false" Priority="29" SemiHidden="false"  
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>  
<w:LsdException Locked="false" Priority="30" SemiHidden="false"  
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>  
<w:LsdException Locked="false" Priority="66" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>  
<w:LsdException Locked="false" Priority="67" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>  
<w:LsdException Locked="false" Priority="68" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>  
<w:LsdException Locked="false" Priority="69" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>  
<w:LsdException Locked="false" Priority="70" SemiHidden="false"  
UnhideWhenUsed="false" Name="Dark List Accent 1"/>  
<w:LsdException Locked="false" Priority="71" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>  
<w:LsdException Locked="false" Priority="72" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>  
<w:LsdException Locked="false" Priority="73" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>  
<w:LsdException Locked="false" Priority="60" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>  
<w:LsdException Locked="false" Priority="61" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light List Accent 2"/>  
<w:LsdException Locked="false" Priority="62" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>  
<w:LsdException Locked="false" Priority="63" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>  
<w:LsdException Locked="false" Priority="64" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>  
<w:LsdException Locked="false" Priority="65" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>  
<w:LsdException Locked="false" Priority="66" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>  
<w:LsdException Locked="false" Priority="67" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>  
<w:LsdException Locked="false" Priority="68" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>  
<w:LsdException Locked="false" Priority="69" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>  
<w:LsdException Locked="false" Priority="70" SemiHidden="false"  
UnhideWhenUsed="false" Name="Dark List Accent 2"/>  
<w:LsdException Locked="false" Priority="71" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>  
<w:LsdException Locked="false" Priority="72" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>  
<w:LsdException Locked="false" Priority="73" SemiHidden="false"

UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>  
<w:LsdException Locked="false" Priority="60" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>  
<w:LsdException Locked="false" Priority="61" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light List Accent 3"/>  
<w:LsdException Locked="false" Priority="62" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>  
<w:LsdException Locked="false" Priority="63" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>  
<w:LsdException Locked="false" Priority="64" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>  
<w:LsdException Locked="false" Priority="65" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>  
<w:LsdException Locked="false" Priority="66" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>  
<w:LsdException Locked="false" Priority="67" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>  
<w:LsdException Locked="false" Priority="68" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>  
<w:LsdException Locked="false" Priority="69" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>  
<w:LsdException Locked="false" Priority="70" SemiHidden="false"  
UnhideWhenUsed="false" Name="Dark List Accent 3"/>  
<w:LsdException Locked="false" Priority="71" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>  
<w:LsdException Locked="false" Priority="72" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>  
<w:LsdException Locked="false" Priority="73" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>  
<w:LsdException Locked="false" Priority="60" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>  
<w:LsdException Locked="false" Priority="61" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light List Accent 4"/>  
<w:LsdException Locked="false" Priority="62" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>  
<w:LsdException Locked="false" Priority="63" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>  
<w:LsdException Locked="false" Priority="64" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>  
<w:LsdException Locked="false" Priority="65" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>  
<w:LsdException Locked="false" Priority="66" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>  
<w:LsdException Locked="false" Priority="67" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>  
<w:LsdException Locked="false" Priority="68" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>  
<w:LsdException Locked="false" Priority="69" SemiHidden="false"  
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>  
<w:LsdException Locked="false" Priority="70" SemiHidden="false"  
UnhideWhenUsed="false" Name="Dark List Accent 4"/>  
<w:LsdException Locked="false" Priority="71" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>  
<w:LsdException Locked="false" Priority="72" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>  
<w:LsdException Locked="false" Priority="73" SemiHidden="false"  
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>  
<w:LsdException Locked="false" Priority="60" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>  
<w:LsdException Locked="false" Priority="61" SemiHidden="false"  
UnhideWhenUsed="false" Name="Light List Accent 5"/>

<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 5"/>  
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>  
<w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>  
<w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>  
<w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>  
<w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>  
<w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>  
<w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>  
<w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List Accent 5"/>  
<w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>  
<w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 5"/>  
<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>  
<w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 6"/>  
<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 6"/>  
<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 6"/>  
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>  
<w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>  
<w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>  
<w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>  
<w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>  
<w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>  
<w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>  
<w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List Accent 6"/>  
<w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>  
<w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 6"/>  
<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>  
<w:LsdException Locked="false" Priority="19" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>  
<w:LsdException Locked="false" Priority="21" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>  
<w:LsdException Locked="false" Priority="31" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>  
<w:LsdException Locked="false" Priority="32" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>  
<w:LsdException Locked="false" Priority="33" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>





UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-para-margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:10.0pt;
font-family:"Times New Roman","serif";}
```

---

#### A-46 - Asset Files

-

---



## US65-19 LM 9.46 SB over Black Pond Slough

**Location: 1.0 Mi S US 278-McGehee**

**Team Lead:** Sharon Hooks, **Inspection Date:** 01/08/2019

## Deck

ELEMENTS	DESCRIPTION	UNITS	TOTAL	CS1	CS2	CS3	CS4
12	Reinforced Concrete Deck	SF	6748	0	6748	0	0
1130	Cracking (RC and Other)	SF	6748	0	6748	0	0
510	Wearing Surfaces	SF	6286	6286	0	0	0
(12) Deck: 40.9' wide x 165' long = 6,748 sqft. Very light map cracking throughout deck with some very light longitudinal cracks up to 0.015 inch at various locations. Wearing surface added in construction (2018). And pourable Joint Seals at bents 1&4.							

ELEMENTS	DESCRIPTION	UNITS	TOTAL	CS1	CS2	CS3	CS4
107	Steel Open Girder/Beam	LF	990	990	0	0	0
515	Steel Protective Coating	SF	6692	6692	0	0	0
(107) Girders: 6 per span / Spans 1-3 (50' - 62' - 50') 162' total. Coating: W27x129 (60.5' x 6.92); W27x84 (41' x 6.78); W27x129 (60.5' x 6.92) = 6692 sqft total. The outside of outer two girders is brown with a granular texture all others are orange to light brown.							



**Asset #A6811(Routine)**



**Asset #A6811**(Routine)

**US65-19 LM 9.46 SB over Black Pond Slough**

**Location: 1.0 Mi S US 278-McGehee**

**Team Lead:** Sharon Hooks, **Inspection Date:** 01/08/2019

## Culvert

ELEMENTS	DESCRIPTION	UNITS	TOTAL				
				CS1	CS2	CS3	CS4



**Asset #A6811(Routine)**

**US65-19 LM 9.46 SB over Black Pond Slough**

**Location: 1.0 Mi S US 278-McGehee**

**Team Lead: Sharon Hooks, Inspection Date: 01/08/2019**

## **Routine Maintenance**

Check Box Maintenance Items

<b>Type of Maintenance</b>	<b>Is recommended?</b>
A-54 - Sealable Deck Cracks	
A-55 - Deck Washing Needed	
A-56 - Joint Cleaning/Flushing Needed	
A-57 - Beam End and Bearing Paint Needed	
A-58 - Cap Cleaning/Flushing Needed	
A-59 - Joint Repair Needed	
A-60 - Full Beam Painting Needed	
A-61 - Polymer Overlay Advised	
A-62 - Hydro and LMC Advised	




Asset #A6811 (Routine)

US65-19 LM 9.46 SB over Black Pond Slough

Location: 1.0 Mi S US 278-McGehee

Team Lead: Sharon Hooks, Inspection Date: 01/08/2019

Condition History



Inspection Date	Deck	Superstructure	Substructure	Culverts	Channel	Scour
01/08/2019	7	8	8	N	7	5
01/31/2017	7	8	8	N	7	5
01/13/2015	7	7	8	N	7	5
01/11/2013	7	7	8	N	8	5
02/08/2011	7	7	8	N	8	5
03/26/2009	8	8	8	N	8	5
07/16/2007	8	8	8	N	8	5
03/23/2005	9	9	8	N	8	5
06/19/2003	9	9	8	N	8	5